

L Number	Hits	Search Text	DB	Time stamp
1	3282	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:28
2	1272	(tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:36
3	327	(floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
4	1250	(tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:44
5	6617	((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:40
6	900	(712/221-222.ccls. or 712/244.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:38
7	187	(708/495.ccls. or 708/507.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:38
8	265	((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
9	78	((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
10	34	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
11	1746	(tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17

12	27	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:47
13	26	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17
14	8	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) not (((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17
15	4	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) not (((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3) ) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) )) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217)) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:30

16	423	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:55
17	162	(tlb or (translation adj5 (buffer or unit) or atu)) with (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:01
18	106	(floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:29
19	29	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:29
20	8	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:30
21	7	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2) ) ) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:32
22	25	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
23	5	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:33
24	1	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and (@ad<=19991217 or @rlad<=19991217)) and ( (712/221-222.ccls. or 712/244.ccls.) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:34
25	0	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu) ) and (@ad<=19991217 or @rlad<=19991217)) and ( (708/495.ccls. or 708/507.ccls.) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:34
26	1		USPAT	2004/06/18 15:34
27	1		USPAT	2004/06/18 15:35
28	1		USPAT	2004/06/18 15:36
29	1		USPAT	2004/06/18 15:36
30	1		USPAT	2004/06/18 15:36
31	1		USPAT	2004/06/18 15:36
32	1		USPAT	2004/06/18 15:39
33	1		USPAT	2004/06/18 15:39

34	1		USPAT	2004/06/18 15:39
35	1		USPAT	2004/06/18 15:40
36	1		USPAT	2004/06/18 15:41
37	1		USPAT	2004/06/18 15:43
38	1		USPAT	2004/06/18 15:43
39	423	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:01
40	68	((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
41	52	((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
42	13	((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer) ) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
43	1374	(tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
44	3018	(floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
45	35	((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer) ) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
46	26	((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer) ) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
47	15	((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer) ) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) ) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:17

48	31	lyon-terry\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:16
49	4	(((((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer) ) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu) ) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several) )) and (@ad<=19991217 or @rlad<=19991217)) and lyon-terry\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:17